

New-age
Windows
& Doors



MORE THAN WHAT MEETS THE EYES









AN INWARD JOURNEY

Windows and doors are more than the outwardly material and structure that shape them. They come with a soul that can let the goodness in and keep the unwanted out. Simply put, they offer you a lifetime of goodness, if designed and made to do so.

Inspired by the inherent beauty of windows and doors, Spalva started taking one small step at a time towards exploring their full potential and eventually realizing it.

In the process, Spalva transformed from a steel fabricator into a world-class windows and doors manufacturer and marketer with a range at par and even better than any international brand.





A DIFFERENT PERSPECTIVE

With a continuously upgraded manufacturing facility at Pune, Spalva is redefining and redesigning homes and workplaces with some never-before seen and heard features of windows and doors.

Our endeavor is to bring out all that's good in windows and doors; be it the aesthetics, the functioning, or the utility.

With over four decades in the industry and market, we have perfected the art and technology of windows and doors making by combining Indian sensibilities with best global practices.

And the result is for you to see and feel at our show office or hear from the exponentially growing number of customers.





Raising Benchmarks and Sights





THE SPALVA ADVANTAGES



Weather
Proof



Water
Proof



Sound
Insulation



Fire
Resistant



Dust
Proof



Track Gap
Cover



Environment
Friendly



Easily
Washable



Extra-high
UV Resistant



Maintenance-
free



Fast
Installation




100%
Lead-free



Matching
Colour Locks





All that's Good





L-SHAPE CORNER SLIDING DOORS

- **BLUESHIELD SERIES**
- **BLUESHIELD SLIMLINE SERIES**
- **SPALVA SERIES**

L-SHAPE CORNER SLIDING DOORS

Technical Characteristics

Profiles

Aluminium Alloy 6063-T6 Grade

Facility

No Middle Column Required

Option

Fly Mesh Option Available.
Shutter Size Maximum W-1800 X H-2400
Track Sections 2/3/4/5 Track

Maintenance

Track - Easy to Clean

Vibration

Rollers of Needle Bearings with Polyamide
Nylon Casing for Smooth & Silent Sliding

Weather

Silicon-base Weather Strips which Restrict Dust,
Sound & Rain from Entering in

Glazing

Single Glass 4/5/6/8/10 mm
Double Glass 18 mm (4+10+4), 18 mm (5+8+5),
Laminated 4+1.5+4, Laminated 5+1.5+5
Glass Sealing High Quality EPDM

Option

Fly Mesh S.S. / Aluminium with S.S. Finish /
Georgian Bar / MS Grill

Security

Lock Self Pressing / Manual / Handle Locks /
Key Lock / Child Lock

Specifications

Wind Resistance 2200 Pa
Sound Reduction 35 dB (DGU 18 mm)

Finishing

Powder Coated / Anodized / Wooden Finish

Colours

All RAL Colour Shades Available



The Spalva Advantages



Weather
Proof



Water
Proof



Sound
Insulation




Fire
Resistant



Environment
Friendly



Easily
Washable



BLUESHIELD SERIES



The Spalva Advantages



Weather
Proof



Water
Proof



Sound
Insulation




Fire
Resistant



Environment
Friendly



Easily
Washable



Technical Characteristics

Profiles

Aluminium Alloy 6063-T6 Grade
 Shutter Sections 27 x 68 mm
 Shutter Size Maximum W-1800 X H-2400
 Track Sections 2/3/4/5 Track
 Duct at the Bottom of the Track to Drain
 Out Rainwater

Maintenance

Track - Easy to Clean

Vibration

Rollers of Needle Bearings with Polyamide
 Nylon Casing for Smooth & Silent Sliding

Weather

Silicon-base Weather Strips which Restrict Dust,
 Sound & Rain from Entering in

Glazing

Single Glass 4/5/6/8/10 mm
 Double Glass 18 mm (4+10+4), 18 mm (5+8+5),
 Laminated 4+1.5+4, Laminated 5+1.5+5
 Glass Sealing High Quality EPDM

Option

Fly Mesh S.S. / Aluminium with S.S. Finish /
 Georgian Bar / MS Grill

Security

Lock Self Pressing / Manual / Handle Locks
 Key Lock / Child Lock

Specifications

Wind Resistnce 2200 Pa
 Sound Reduction 35 dB (DGU 18 mm)

Finishing

Powder Coated / Anodized / Wooden Finish

Colours

All RAL Colour Shades Available

BLUESHIELD SLIMLINE SERIES

Technical Characteristics

Profiles

Aluminium Alloy 6063-T6 Grade
Shutter Sections 27 X 68 mm Slimline 25 mm
Shutter Size Maximum W-1800 X H-2400
Track Sections 2/3/4/5 Track
Duct at the Bottom of the Track to Drain Out Rainwater

Maintenance

Track - Easy to Clean

Vibration

Rollers of Needle Bearings with Polyamide
Nylon Casing for Smooth & Silent Sliding

Weather

Silicon-base Weather Strips which Restrict Dust,
Sound & Rain from Entering in

Glazing

Single Glass 4/5/6/8/10 mm
Double Glass 18 mm (4+10+4), 18 mm (5+8+5),
Laminated 4+1.5+4, Laminated 5+1.5+5
Glass Sealing High Quality EPDM

Option

Fly Mesh S.S. / Aluminium with S.S. Finish /
Georgian Bar / MS Grill

Security

Lock Self Pressing / Manual / Handle Locks /
Key Lock / Child Lock

Specifications

Wind Resistance 2200 Pa
Sound Reduction 35 dB (DGU 18 mm)

Finishing

Powder Coated / Anodized / Wooden Finish

Colours

All RAL Colour Shades Available

The Spalva Advantages



Weather
Proof



Water
Proof



Sound
Insulation



Fire
Resistant




Environment
Friendly



Easily
Washable





SPALVA SERIES

Technical Characteristics

Profiles

Aluminium Alloy 6063-T6 Grade
Shutter Sections 25 X 50 mm
Shutter Size Maximum W-1500 X H-2100
Track Sections 2/3/4 Track
Duct at the Bottom of the Track to Drain
Out Rainwater

Maintenance

Track - Easy to Clean

Vibration

Rollers of Needle Bearings with Polyamide
Nylon Casing for Smooth & Silent Sliding

Weather

Silicon Base Weather Strips which Restrict Dust,
Sound & Rain from Entering in

Glazing

Single Glass 4/5/6/8/10 mm
Double Glass 18 mm (4+10+4), 18 mm (5+8+5),
Laminated 4+1.5+4, Laminated 5+1.5+5
Glass Sealing High Quality EPDM

Option

Fly Mesh S.S. / Aluminium with S.S. Finish /
Georgian Bar / MS Grill

Security

Lock Self Pressing / Manual / Handle Locks /
Key Lock / Child Lock

Specifications

Wind Resistance 2200 Pa
Sound Reduction 35 dB (DGU 18 mm)

Finishing

Coating - Powder Coated/ Anodized /
Wooden Finish

Colours

All RAL Colour Shades Available



The Spalva Advantages



Weather
Proof



Water
Proof



Sound
Insulation



Fire
Resistant



Environment
Friendly



Easily
Washable



VERTICAL WINDOWS SERIES

Technical Characteristics

Facility

Vertical Sliding Stops at the Point of Choice

Profiles

Aluminium Alloy 6063-T6 Grade

Shutter Sections 20 X 50 mm

Window Size Maximum W-900 X H-1800

Maintenance

Track - Easy to Clean

Weather

Silicon-base Weather Strips which Restrict Dust,
Sound & Rain from Entering in

Glazing

Single Glass 4/5 mm.

Glass Sealing High Quality EPDM

Option

Fly Mesh S.S. / Aluminium with S.S. Finish

Finishing

Coating - Powder Coated / Anodized / Wooden Finish



The Spalva Advantages



Weather
Proof



Water
Proof



Sound
Insulation



Fire
Resistant



Environment
Friendly



Easily
Washable

Vertical Sliding Window That Stops at the Point of Your Choice.



OPENABLE WINDOWS



Technical Characteristics

Facility

Single Shutter / Double Shutter

Size

Section Size - 45/85 mm

Hinges

With Stay Hinges / Butt Hinges

Glass

Glass Thickness Single Unit 4/5/6 mm
Double Glass Unit 18 mm (4+10+4) Glass
with Georgian Bar

Size

Shutter Size Maximum W-1200 X H-1800

Security

Key Lock / Child Lock

Mesh

Rolling Mesh / Pleated Mesh

Finishing

Coating - Powder Coated / Anodized / Wooden Finish

Colours

All RAL Colour Shades Available

The Spalva Advantages



Weather
Proof



Water
Proof



Sound
Insulation



Fire
Resistant




Environment
Friendly



Easily
Washable



OPENABLE WINDOWS WITH MS GRILL AND PLEATED MESH



Technical Characteristics

Facility

MS Grill and In-built Pleated Mesh

Size

Section Size - 45/85 mm

Hinges

With Stay Hinges / Butt Hinges

Glass

Glass Thickness Single Unit 4/5/6 mm
Double Glass Unit 18mm (4+10+4)

Size

Shutter Size Maximum W-1200 X H-1800

Option

MS Grill / Georgian Bar

Security

Key Lock / Child Lock

Mesh

Rolling Mesh / Pleated Mesh

Finishing

Coating - Powder Coated / Anodized /
Wooden Finish

Colours

All RAL Colour Shades Available



The Spalva Advantages



Weather
Proof



Water
Proof



Sound
Insulation



Fire
Resistant



Environment
Friendly



Easily
Washable

SPALVA OPENABLE SEAMLESS WINDOWS



Technical Characteristics

Facility

Seamless Windows

Size

Section Size - 45/85 mm

Hinges

With Stay Hinges / Butt Hinges

Glass

Glass Thickness Single Unit 4/5/6 mm

Double Glass Unit 18 mm (4+10+4)

Option

Georgian Bar

Security

Key Lock / Child Lock

Mesh

Rolling Mesh / Pleated Mesh

Finishing

Coating - Powder Coated / Anodized /
Wooden Finish

Colours

All RAL Colour Shades Available



The Spalva Advantages



Weather
Proof



Water
Proof



Sound
Insulation



Fire
Resistant



Environment
Friendly



Easily
Washable

SLIDING FOLDING SERIES

Technical Characteristics

Profiles

Aluminium Alloy 6063-T6 Grade

Shutter Section

Slim Shutter - 20 mm

Heavy Shutter - 75 mm

Maximum Shutter Size 900 mm X 2700 mm

Track Section - With Bottom Section /

Without Bottom Section

Glazing

Single Glass - 5/6/8/10

Double Glass - 18 mm (4+10+4), DGU 18 mm (5+8+5),

Laminated (4+1.5+4), Laminated (5+1.5+5),

Laminated (6+1.5+6)

Glass Sealing - High Quality EPDM

Option

Pleated Mesh / Blackout Mesh

Security

Handle Lock with Key

Specifications

Wind Resistance - 2200 pa

Sound Resistance - 35 dB (DGU 18mm)

Finishing

Coating - Powder Coated / Anodized / Wooden Finish

Colours

All RAL Colour Shades Available





The Spalva Advantages



Weather
Proof



Water
Proof



Sound
Insulation



Fire
Resistant



Environment
Friendly



Easily
Washable

SPALVA MINIMAL SERIES

Technical Characteristics

Profiles

Aluminium Alloy 6063-T6 Grade Shutter

Shutter Section

Sections 35 x 104 mm

Slimline 25 mm

Shutter Size Maximum W-1800 X H-4500

Track Sections 2/3/4/5 Track

Duct at the Bottom of the Track to Drain Out Rainwater

Maintenance

Track – Easy to Clean

Vibration

SS Rollers of Needle Bearings with Ss304

Casing for Smooth & Silent Sliding

Weather

Silicon-base Weather Strips which Restrict Dust, Sound & Rain from Entering in

Glazing

Single Glass 8/10/12 mm

Double Glass 25 mm (5+15+5), 32 mm (6+20+6)

Laminated 6+1.5+6, Laminated 8+1.5+6 Glass

Sealing High Quality EPDM

Option

Pleated Mesh / Georgian Bar

Security

Lock Multi Point Handle Locks , Key Handle Locks

Specifications

Wind Resistnce 2500 Pa

Sound Reduction 35 dB (DGU 25 mm)


Finishing

Powder Coated / Anodized / Wooden Finish

Colours

All RAL Colour Shades Available





The Spalva Advantages



Weather
Proof



Water
Proof



Sound
Insulation



Fire
Resistant



Environment
Friendly



Easily
Washable



W
M
V
S
A
S
P
A
I
W
A

VARIETY OF LOCKS



Casement Lock



Handle Lock with Key



Clutch Lock with Child Lock



Self Pressing Lock



Manual Lock with Key Lock



Latch Lock



Push Lock

NOW A SPECIAL FEATURE ADDED TO THE MOST PREFERRED WINDOWS
COLOUR OF THE LOCK MATCHES THE COLOUR OF THE WINDOW





Quality Assured by



Showroom:

3rd Floor, Saraswat Bank Building, Lohia Jain House,
893/6, Goodluck Chowk, Bhandarkar Road, Deccan Gymkhana,
Pune - 411004. Maharashtra, India.

Customer Care:

+91 93703 66257 | info@spalva.co.in | www.spalva.co.in